



**Futaba radio control systems.  
The choice in 1979.**



# The Futaba Systems.

## Contest 7

7 channel pro system features open-gimbals and dual rate transmitter controls and includes T7G transmitter, R7L dual-conversion receiver, full NiCad operation with FBC-2 dual charger, 3-S15 and 1-S15L servos, switch harness, servo



trays and hardware.  
72MHz only.  
\$579.95

## FP-3S/S18

3 channel system features T3S, single-stick transmitter and includes R3F receiver, dry cell battery cases, 2-S18 servos, switch harness, servo trays and hardware.



72MHz only.  
FP-3S/S20 \$144.95  
\$169.95

## FP-6FN/S18

6 channel system includes T6FN transmitter, R6F receiver, full NiCad operation with FBC-2 dual charger, 3-S18 and 1-S18L servos, switch harness, servo trays and hardware. Built-in trainer system.



27 and 72MHz.  
FP-6FN/S16 \$339.95  
FP-6FN/S20 \$369.95

## FP-2E/S22

2 channel system includes T2E, dual-stick transmitter and includes R2F receiver, dry cell battery cases, 2-S22 servos, switch harness, servo trays and hardware.



27 and 72MHz.  
FP-2E/S7 \$134.95  
\$149.95

## FP-5FN/S18

5 channel system includes T5FN transmitter, R6F receiver, full NiCad operation with FBC-2 dual charger, 3-S18 and 1-S18L servos, switch harness, servo trays and hardware.



27 and 72MHz.  
FP-5FN/S16 \$329.95  
FP-5FN/S20 \$359.95

## FP-2F/S18

FP-2F/S22  
2 channel systems feature T2F steering wheel transmitter and include R2F receiver, dry cell battery cases, 2-S18 or S22 servos, switch harness, servo trays and hardware.



27 and 72MHz.  
FP-2F/S7 \$134.95  
FP-2F/S20 \$149.95

## FP-4FN/S18

4 channel system includes T4FN transmitter, R4F receiver, full NiCad operation with FBC-2 dual charger, 3-S18 and 1-S18L servos, switch harness, servo trays and hardware. Built-in trainer system.



27 and 72MHz.  
FP-4FN/S16 \$289.95  
FP-4FN/S20 \$319.95

## FP-2GA/S18

FP-2GA/S22  
2 channel systems include T2G transmitter, R2F receiver, dry cell battery cases, 2-S18 or S22 servos, switch harness, servo trays and hardware.



27 and 72MHz.  
\$119.95

## FP-3FN/S18

FP-3FN/S22  
3 channel systems include T3FN transmitter, R3F receiver, full NiCad operation with FBC-2 dual charger, 2-S18 or S22 servos, switch harness, servo trays and hardware. Built-in trainer system.



27 and 72MHz.  
\$219.95

## FP-2GS/S18


FP-2GS/S22  
2 channel systems include T2GS transmitter, R2G receiver, dry cell battery cases, 2-S18 or S22 servos, switch harness, servo trays and hardware.



27 and 72 MHz.  
\$109.95

Numeric suffixes (eg. /S20) are servo designations for Futaba systems offering a selection of different servos. All Futaba systems are factory inspected and sealed, then packaged in sturdy polyfoam.

Prices and specifications are subject to change without notice.





# Futaba Servos.

Your Futaba system can be custom-tailored to personal requirements with our line of fully compatible servos.

	<b>S7/Heavy Duty/Water Tight</b> S7L/reverse S7  Dimensions: .9" x 1.73" x 1.62" Weight: 1.7 oz. Torque: 41.7 oz./in.	\$39.95
	<b>S8/Heavy duty retract</b>  Dimensions: .9" x 1.73" x 1.62" Weight: 1.7 oz. Torque: 111.1 oz./in.	\$44.95
	<b>S10/Sail winch</b>  Dimensions: 3.5" x 1.5" x 2.93" Weight: 8.8 oz. Torque: 21.8" stroke 3.8"/sec.	\$89.95
	<b>S11/Linear action</b>  Dimensions: .75" x 1.75" x 1.5" Weight: 1.4 oz. Torque: 25.1 oz./in.	\$39.95
	<b>S14/High torque</b>  Dimensions: 3.5" x 1.5" x 2.93" Weight: 8.8 oz. Torque: 167 oz./in.	\$89.95
	<b>S15(M)/Ball bearing/Heavy duty</b> S15(M)L/reverse S15(M)  Dimensions: 1.9" x 1.41" x .91" Weight: 2.1 oz. Torque: 44.5 oz./in.	\$49.95
	<b>S15(M)G/Ball bearing retract</b>  Dimensions: 1.9" x 1.41" x .91" Weight: 2.1 oz. Torque: 55.6 oz./in.	\$54.95
	<b>S16/Mini</b> S16L/reverse  Dimensions: 1.63" x 1.4" x .75" Weight: 1.5 oz. Torque: 27.8 oz./in.	\$39.95
	<b>S16G/Mini retract</b>  Dimensions: 1.63" x 1.4" x .75" Weight: 1.5 oz. Torque: 36.1 oz./in.	\$44.95
	<b>S18/Standard</b> S18L/reverse S18  Dimensions: 1.57" x 1.55" x .78" Weight: 1.5 oz. Torque: 27.8 oz./in.	\$29.95
	<b>S20/Ultra mini</b> S20L/reverse S20  Dimensions: 1.19" x 1.13" x .69" Weight: .85 oz. Torque: 22.2 oz./in.	\$39.95
	<b>S22/Standard heavy duty</b>  Dimensions: .9" x 1.73" x 1.67" Weight: 1.8 oz. Torque: 32.0 oz./in.	\$29.95

## Airborne Systems/Accessories

**FAP-74/S15(M)**  
7 channel dual conversion receiver (FP-R7L),  
4 servos (S15(M) x 3 and S15(M) x 1),  
double contact switch harness receiver NiCad  
battery pack (NR-4E(B) or NR-4E(A) for  
S15M), servo trays and hardware.  
72MHz only  
\$299.95

**FAP-64/S18**  
6 channel receiver (FP-R6F), 3-S18 and 1-  
S18L servo, receiver NiCad battery pack  
(NR-4C), switch harness, servo trays and  
hardware. 27 and 72MHz  
\$199.95

**FAP-64/S16**  
**FAP-64/S20**  
Same as FAP64/S18 except 3-S16 or S20 and  
1-S16L or S20 servo.  
\$234.95

**FAP-63/S16**  
**FAP-63/S20**  
3 servo version of FAP-64/S16 (S20).  
\$194.95

**FAP-63/S18**  
3 servo version of FAP-64/S18.  
\$169.95

**FAP-42/S18**  
4 channel receiver (FP-R4F), 2-S18 servos,  
receiver NiCad battery pack (NR-4C), switch  
harness, servo trays and hardware.  
27 and 72MHz  
\$129.95

**FAP-42/S16**  
**FAP-42/S20**  
Same as FAP42/S18 except 2-S16 or  
S20 servos.  
\$149.95

**FAP-32/S18**  
**FAP-32/S22**  
3 channel receiver, 2-S18 or S22 servos,  
receiver NiCad battery pack (NR-4C), switch  
harness servo trays and hardware.  
27 and 72MHz  
\$114.95

**FAP-32/S16**  
**FAP-32/S20**  
Same as FAP-32/S18 except 2-S16 or  
S20 servos.  
\$134.95

**FAP-22/S22**  
**FAP-22/S18**  
2 channel receiver (FP-R2F), 2-S22 or S18  
servos, receiver dry cell battery case, switch  
harness, servo trays and hardware.  
27 and 72MHz  
\$84.95

**FAP-22/S16**  
**FAP-22/S20**  
**FAP-22/S7**  
Same as FAP22/S22 except 2-S16, S20 or  
S7 servos.  
\$104.95

**FAP-22/S22/R2G**  
**FAP-22/S18/R2G**  
2 channel receiver (FP-R2G), 2-S22 or S18,  
receiver dry cell battery case, switch harness,  
servo trays and hardware. 27 and 72 MHz  
\$74.95

### Receivers

FP-R7L	7-Ch Dual conv.	1.70" x 2.80" x .81"	3 oz.	10mA @ 4.8v	\$129.95
FP-R6F	6-Ch RF amplified	1.57" x 2.72" x .74"	1.9 oz.	10mA @ 4.8v	99.95
FP-R4F	4-Ch RF amplified	1.57" x 2.30" x .74"	1.7 oz.	10mA @ 4.8v	79.95
FP-R3F	3-Ch RF amplified	1.57" x 2.30" x .74"	1.6 oz.	10mA @ 4.8v	64.95
FP-R2F	2-Ch RF amplified	1.57" x 2.30" x .74"	1.6 oz.	10mA @ 6.0v	54.95
FP-R2G	2-Ch Double-Tuned	1.31" x 2.06" x .63"	1.2 oz.	10mA @ 6.0v	44.95

### Transmitters

FP-T7G	7-Ch Dual-Stick/Contest	7.48" x 6.02" x 1.97"	2 lb. 6 oz.	\$299.95
FP-T6F	6-Ch Dual-Stick/NiCad	7.28" x 6.10" x 2.00"	2 lb. 6 oz.	159.95
FP-T5FN	5-Ch Dual-Stick/NiCad	7.28" x 6.10" x 2.00"	2 lb. 6 oz.	149.95
FP-T4FN	4-Ch Dual-Stick/NiCad	7.28" x 6.10" x 2.00"	2 lb. 6 oz.	139.95
FP-T3FN	3-Ch Dual-Stick/NiCad	7.28" x 6.10" x 2.00"	2 lb. 6 oz.	129.95
FP-T3S	3-Ch Single-Stick/dry cell	5.50" x 6.00" x 2.25"	1 lb. 10 oz.	79.95
FP-T2E	2-Ch Dual-Stick/dry cell	5.95" x 5.55" x 2.20"	1 lb. 9 oz.	74.95
FP-T2F	2-Ch Steering Wheel/dry cell	5.95" x 5.55" x 2.20"	1 lb. 15 oz.	74.95
FP-T2G	2-Ch Dual-Stick/dry cell	6.65" x 5.25" x 2.00"	1 lb. 6 oz.	54.95
FP-T2GS	2-Ch Dual-Stick/dry cell	5.75" x 4.00" x 2.00"	1 lb. 2 oz.	49.95

### NiCad Power Supplies

FBPK-1	System includes: 1-NT-10; 1-NR-4C and dual charger. Converts 12v. (8 dry cell) system to NiCad.	\$69.95
FBPK-2	System includes: 1-NT-10; 1-NR-4C and dual charger. Converts 7 cell transmitters to NiCad.	55.95
FBPK-3	System includes: 8-pen cell NiCads: 1-NR-4C and dual charger. Charging jack for 2GA only.	55.95
NT-8C	Transmitter NiCad/500mA/9.6v	29.95
NT-10	Transmitter NiCad/500mA/12v	44.95
NR-4C	Airborne NiCad/500mA/4.8v/1.25" x 1.25" x 2.25"/4.0 oz.	15.95
NR-4E(A)	Flat NiCad/500mA/4.8v/2.40" x 2.44" x .73"/4.2 oz.	15.95
	W/Standard Connector	
NR-4E(B)	Same as NR-4E(A) except with contest-73-pin connector	15.95
NR-4G	Lightweight NiCad/2.50mA/4.8v/1.95" x .95" dia./2.6 oz.	15.95

### NiCad Chargers

FBC-1	Single charger/4.8v/45mA (RX NiCad only)	\$ 9.95
FBC-2(A)	Dual charger/4.8v/45mA and 9.6v/45mA for 120V AC	12.95
FBC-2(B)	Dual charger/4.8v/45mA and 12.0v/45mA for 120V AC	12.95
FBC-2(C)	Dual charger/4.8v/45mA and 9.6v/45mA for 220V AC	12.95
FBC-2(D)	Dual charger/4.8v/45mA and 12.0v/45mA for 220V AC	12.95

### Accessories

FP-MCIIIB	Proportional speed control. Forward and reverse. Maximum rating-24v/10A; power source: 4.8v-12v	\$ 59.95
DSC-1	Servo controller. For stage tuning w/o transmitter.	119.95
Trainer Cord		6.95





# Futaba's Air Force.

Flying is easier and more fun with complete, pre-finished R/C airplanes featuring radio systems by Futaba... The perfect way to get right into the world of radio-controlled aviation.



**Futaba Trainer/3FN**

System includes: Complete, pre-finished "Silly Savage" three-channel airplane, K&B ball-bearing .19RC engine plus full NiCad FP-3FN system with 3-S18 servos. Radio gear, engine and linkage installed, some assembly required. \$439.95



**Futaba Trainer/3SN**

System includes: Complete, pre-finished "Silly Savage" three-channel airplane, K&B ball-bearing .19RC engine plus single-stick FP-3S system with 3-S18 servos and airborne NiCad battery pack. Radio gear, engine and linkages installed, some assembly required. \$389.95




**Futaba Trainer/3S**

System includes: Complete, pre-finished "Silly Savage" three-channel airplane, K&B ball-bearing .19RC engine plus single-stick FP-3S system with 3-S18 servos. Radio gear, engine and linkages installed, some assembly required. \$369.95



**Futaba Piper Cub/3S**

System includes: Complete, pre-finished "Piper Cub" two-channel airplane, Testors .049 engine plus single-stick FP-3S system with 2-S18 servos. Radio gear, engine and linkages installed, some assembly required. \$199.95



**Futaba Piper Cub/2GS**

System includes: Complete, pre-finished Piper Cub two-channel airplane, Testors .049 engine plus FP-2GS system with 2-S18 servos. Radio gear, engine and linkages installed, some assembly required. \$169.95

## Futaba

Futaba Corporation of America  
2065 East Victoria Street/Compton, California 90220